




BJÆLKER










INDUSTRI BETON

Konsolbjælker - KB





Ens på alle typer







KB type	Højde (mm)	e (mm)
Konsolhøjde 200 mm		
38/18	380	180
42/22	420	220
47/27	470	270
50/30	500	300
52/32	520	320
57/37	570	370
60/40	600	400
70/50	700	500
Konsolhøjde 300 mm		
48/18	480	180
52/22	520	220
57/27	570	270
60/30	600	300
62/32	620	320
67/37	670	370
70/40	700	400
80/50	800	500
Konsolhøjde 400 mm		
58/18	580	180
62/22	620	220
67/27	670	270
70/30	700	300
72/32	720	320
77/37	770	370
80/40	800	400
90/50	900	500
Konsolhøjde 500 mm		
68/18	680	180
72/22	720	220
77/27	770	270
80/30	800	300
82/32	820	320
87/37	870	370
90/40	900	400
100/50	1000	500




Konsolbjælker - KB




KB type	Højde (mm)	e (mm)
Konsolhøjde 600 mm		
78/18	780	180
82/22	820	220
87/27	870	270
90/30	900	300
92/32	920	320
97/37	970	370
100/40	1000	400
110/50	1100	500
120/60	1200	600
Konsolhøjde 700 mm		
88/18	880	180
92/22	920	220
97/27	970	270
100/30	1000	300
102/32	1020	320
107/37	1070	370
110/40	1100	400
120/50	1200	500
130/60	1300	600
Konsolhøjde 800 mm		
98/18	980	180
102/22	1020	220
107/27	1070	270
110/30	1100	300
112/32	1120	320
117/37	1170	370
120/40	1200	400
130/50	1300	500
140/60	1400	600











Konsolbjælker - KBE




Ens på alle typer










KBE type	Højde (mm)	e (mm)
Konsolhøjde 200 mm		
38/18	380	180
42/22	420	220
47/27	470	270
50/30	500	300
52/32	520	320
57/37	570	370
60/40	600	400
70/50	700	500
Konsolhøjde 300 mm		
48/18	480	180
52/22	520	220
57/27	570	270
60/30	600	300
62/32	620	320
67/37	670	370
70/40	700	400
80/50	800	500
Konsolhøjde 400 mm		
58/18	580	180
62/22	620	220
67/27	670	270
70/30	700	300
72/32	720	320
77/37	770	370
80/40	800	400
90/50	900	500
Konsolhøjde 500 mm		
68/18	680	180
72/22	720	220
77/27	770	270
80/30	800	300
82/32	820	320
87/37	870	370
90/40	900	400
100/50	1000	500




Konsolbjælker - KBE




KBE type	Højde (mm)	e (mm)
Konsolhøjde 600 mm		
78/18	780	180
82/22	820	220
87/27	870	270
90/30	900	300
92/32	920	320
97/37	970	370
100/40	1000	400
110/50	1100	500
120/60	1200	600
Konsolhøjde 700 mm		
88/18	880	180
92/22	920	220
97/27	970	270
100/30	1000	300
102/32	1020	320
107/37	1070	370
110/40	1100	400
120/50	1200	500
130/60	1300	600
Konsolhøjde 800 mm		
98/18	980	180
102/22	1020	220
107/27	1070	270
110/30	1100	300
112/32	1120	320
117/37	1170	370
120/40	1200	400
130/50	1300	500
140/60	1400	600












Konsolbjælker - KBB



Ens på alle typer




KBB type	Højde (mm)	e (mm)	Vægt (kg/m) 150 mm hylde	Vægt (kg/m) 200 mm hylde
Konsolhøjde 300 mm				
108/78	1080	780	1314	1127
120/90	1200	900	1440	1224
132/102	1320	1020	1565	1320
Konsolhøjde 400 mm				
118/78	1180	780	1540	1353
130/90	1300	900	1673	1457
142/102	1420	1020	1805	1561
Konsolhøjde 500 mm				
128/78	1280	780	1773	1585
140/90	1400	900	1912	1696
Konsolhøjde 600 mm				
138/78	1380	780	2011	1824












Konsolbjælkerne, KBB udføres som standard med 150 mm vederlagshylder. Men ved stor belastning skal de udføres med 200 mm vederlagshylder.


Konsolbjælker - KBBE



Ens på alle typer








KBBE type	Højde (mm)	e (mm)	Vægt (kg/m) 150 mm hylde	Vægt (kg/m) 200 mm hylde
Konsolhøjde 300 mm				
108/78	1080	780	1099	1005
120/90	1200	900	1211	1103
132/102	1320	1020	1323	1200
Konsolhøjde 400 mm				
118/78	1180	780	1252	1158
130/90	1300	900	1367	1259
142/102	1420	1020	1482	1360
Konsolhøjde 500 mm				
128/78	1280	780	1409	1315
140/90	1400	900	1528	1420
Konsolhøjde 600 mm				
138/78	1380	780	1570	1476



Konsolbjælkerne, KBBE udføres som standard med 150 mm vederlagshylder. Men ved stor belastning skal de udføres med 200 mm vederlagshylder.

RB bjælker

RB type	Bredde (mm)	Højde (mm)	
18/36	180	360	
18/42	180	420	
18/48	180	480	
18/54	180	540	
24/48	240	480	
24/54	240	540	
24/60	240	600	
24/66	240	660	
30/60	300	600	
30/66	300	660	
30/72	300	720	
36/60	360	600	
36/66	360	660	
36/72	360	720	
36/84	360	840	
36/110	360	1100	
42/60	420	600	
42/66	420	660	
42/72	420	720	
42/84	420	840	
42/110	420	1100	
42/140	420	1400	
50/60	500	600	
50/66	500	660	
50/72	500	720	
50/84	500	840	
50/110	500	1100	
50/140	500	1400	

BJÆLKER

INDUSTRI BETON
